REFERENCES

1. Agharkar S.P (1991) Medicinal plants of Bombay presidency. Scientific Publishers, Jodhpur: 1 – 2.
2. Ahlskog J.E, M.D Muenter (2001) Frequency of levodopa-related dyskinesias and motor fluctuations as estimated from the cumulative literature. Mov Disord: 16: 448 – 458.
3. Babu N.B, P. S Rao, R. R Raju (2010) RP – HPLC Method Development and Validation of Levodopa. International Journal of Research in Pharmaceutical and Biomedical Sciences: 1(1): 23 – 26.
4. Caius J.F (1989) The medicinal and poisonous legumes of India. Scientific Publishers, Jodhpur: 70 – 71.
5. Colamartino M, L Padua, T Cornetta, A Testa, R Cozzi (2012) Recent advances in pharmacological therapy of Parkinson's disease: Levodopa and carbidopa protective effects against DNA oxidative damage. Health; 4: 1191 – 1199.
6. Demirkiran M, H. Bozdemir, Y. Sarica (2001) Vascular Parkinsonism: a distinct, heterogeneous clinical entity.Acta Neurol Scand: 104: 63 – 67.
7. Donati D, L.R Lampariello, R. Pagani, R. Guerranti, G. Cinci and E. Marinello (2005) Antidiabetic oligocyclitols in seeds of Mucuna pruriens. Phytother Research: 19(12); 1057 – 1060.
8. Ekanem A.P, A. Obiekezie, W. Kloas and K. Knopf (2004) Effects of crude etracts of Mucuna pruriens (Fabaceae) and Carica papaya (Caricaceae) against the protozoan fish parasites Ichthyophthirius multifilis. Parasitol Research: 92(5): 361 – 366.
9. Erowid.(2002) Mucuna Pruriens .International legume database and information service. Genus Mucuna; 22.
10. Hishikar R, S. Shastry, S. Shinde and S.S Gupta (1991) Preliminary phytochemical and anti – inflammatory activity of seeds of Mucuna pruriens. Indian Journal of Pharmacology: 13(1): 97 – 98.
11. Jia R.R, Y.L Gou, L.S Ho, C.P Ng, N. H Tan, H.C Chan (2005) Anti – apoptotic activity of Bak Foong Pills and its ingredients on 6-hydroxydopamine-induced neurotoxicity in PC12 cells, Cell Biology International: 29: 835 – 842.
12. Kartika B, P. Muralidharan and H. Rahman (2010) Herbal Treatment of Parkinsonism: A Review. Indian Journal of Pharmaceutical Sciences Review and Research: 5(3):185 – 191.

13. Kumar D.S and A.K Muthu (2010) Free radical scavenenging activity of various extract of whole plant of Mucuna pruriens (Linn.): An in vitro evaluation. Journal of Pharma Research: 3(4): 718 – 724.
14. Lauk L, E.M Galatti, S. Kirjavainen, A.M Korestieri and A. Trovato. Analgesic and antipyretic effects of Mucuna pruriens. International Journal of Phrmacology; 31(3): 213 – 216.
15. Lee C.S, A Samii, V Sossi (2000) In vivo positron emission tomographic evidence for compensatory changes in presynaptic dopaminergic nerve terminals in Parkinson,s disease. Ann Neurol: 47: 493 – 503.
16. Li X.M, H.B Ma, Z.Q Ma, L.F Li, L.N Xu, R. Qu, S.P Ma (2010) Ameliorative and neuroprotective effect in Mptp model of Parkinson;s disease by Zhen – Wu – Tang (ZWT), a traditional chinese medicine. Journal of Ethnopharmacology: 130: 19 – 27.
17. Manyam B (1990) Paralysis agitations and levodopa in "Ayurveda": ancient Indian medical treatise. Mov Discord: 5: 47 – 48.
18. Manyam B.V, M. Dhanasekaran and T.A Hare (2006) Neuroprotective effects of the antiparkinson drug Mucuna pruriens. Phytother. Research: 18(9): 706 – 712.
19. Mosley R.L, E.J Benner, I. Kadiu, M. Thomas, M.D Boska, K. Hasan, C. Laurie, H.E Gendelman (2006) Neuroinflammation, oxidative stress and the pathogenesis of Parkinson's disease. Clinical Neuroscience Research: 6: 261 – 281.
20. Nutt J.G and J.H Fellman (1984) Pharmacokinetics of Levodopa. Clin Neuropharmacol: 7: 35 – 49.
21. Pant M.C, I. Uddin, U.R Bhardwaj and R.D Tewari (1968) Blood sugar and total cholesterol lowering effect of *Glycine Soja*, *Mucuna pruriens* (D.C) and *Dolichos Diflorus* (Linn) seed diets in normal fasting albino rats; 56(12):1808 – 1811.
22. Pujari S.A and M.B. Gandhi (2013) Studies on effects of seed and leaf extracts of Mucuna pruriens on some common bacterial pathogens. Journal of Research Development; 8(1): 50 – 54.
23. Rajeshwar Y, M.Gupta and U.K Mazumder (2005) In vitro lipid peroxidation and antimicrobial activity of Mucuna pruriens seeds. Indian Journal of pharmacology and therapeutrics;5: 4(1):32 – 35.
24. Rajeshwar Y, M.Gupta and U.K Mazumder (2005) Antitumour activity and in vitro antioxidant status of Mucuna pruriens (Fabaceae) against Ehrlich Ascites Carcinoma in Swiss Albino Mice. Indian Journal of pharmacology and therapeutrics: 4(1):46 – 53.

25. Rastogi R.P and B.N Mehrotra (1994) Compendium of Indian medicinal plants. CDRI Lucknow : 554.
26. Sastry C.S.T and Y.Y Kavathekar(1990) Plants for reclamation of wastelands. Publications and Information Directorate, New Delhi: 317 – 318.
27. Satheesh K.D, M.A Kottai, S.A Anton, R Manavalan (2010) In vitro antioxidant activity of various extracts of whole plant of Mucuna pruriens (Linn.).International Journal Pharma Technology Research; 2(3): 2063 – 2070.
28. Sathiyanarayanan L and S. Arulmozh (2007) Mucuna pruriens Linn – A comprehensive review. Pharmacognosy Reviews; 1 (1): 157 – 162.
29. Sherer T.B, R. Betarbet, J.T Greenamyre (2002) Environment, Mitochondria and Parkinson's disease. The Neuroscientist; 8: 192 – 197.
30. Shukla K.K and A.A Mahdi (2010) Mucuna pruriens reduces stress and improves the quality of semen in infertile men. Advance Access Publication: 7(1): 137 – 144.
31. Speciale S.G (2004) MPTP: insights into parkinsonian neurodegeneration. Neurotoxicol Teratol: 24: 607 – 620.
32. Tan N.H, S.Y Fung, S.M Sim, E Marinello, R Guerranti, J.C Aguiyi (2009) The protective effect of Mucuna pruriens seeds against snake venom poisoning. Journal of Ethnopharmacol:123(2):356-358.
33. Tavares R. L, A.S Silva, A.R.N Campos, A.R.P. Schuler and J. S Aquino (2015) Nutritional composition, phytochemicals and microbiological quality of the legume, Mucuna pruriens. African Journal of Biotechnology: 14(8): 676 – 682.
34. Vaidya. R.A, S.D Allorkar, A.R Seth and S.K Pandey (1978) The inhibitory effect of Cowhage plant Mucuna pruriens and L-DOPA in chlorpromazine induced hyperprolacteinaemia in man. Neural. India: 26 (4): 1778.
35. Vaidya. A.B, T.G Rajagopalan, N.A Mankodi, D.S Antarkar, P.S Tathed, A.V Purohit and N.H Wadia (1978) Treatment of Parkinson's disease with the cowhage plant Mucuna pruriens Bak; 26 (6):171-176.
36. Verma D.M, N.P Balakrishnan, R.D Dixit (1993) Flora of Madhya Pradesh. Botanical Survey of India, Lucknow; 190 – 191.
37. Winogrodzka A, P. Bergmans, J. Booji, E.A Van Royen, A.G Janssen and E.C Wolters (2001) FP – CIT SPECT is a useful method to monitor the rate of dopaminergic degeneration in early – stage Parkinson's disease. Journal Neural Transm: 108: 1011 – 1119.

Name of research scholar	Name of research guide
Vivek	Dr. Rakesh Kumar Jat